






	<u>MIN</u>	<u>TYP</u>	<u>MAX</u>	<u>UNITS</u>	<u>NOTES</u>	Production <u>Test</u>	First Article <u>Test</u>
Frequency Range	2200		2500	MHz	1	☐	☐
Tuning Voltage	1		14	V	1	☐	☐
Modulation Sensitivity		40		MHz/V	1	☐	☐
Operates with Vtune = 0V					1	☐	☐
Output Power	3	5	7	dBm	1	☐	☐
Phase Noise @							
1 KHz Offset		-78	-73	dBc/Hz	1	☐	☐
10 KHz Offset		-105	-100	dBc/Hz	1	☐	☐
100 KHz Offset		-125	-120	dBc/Hz	1	☐	☐
1 MHz Offset		-145	-140	dBc/Hz	1	☐	☐
10 MHz Offset		-165	-160	dBc/Hz	1	☐	☐
Pushing		1		MHz/V	3	☐	☐
Pulling (12dB RL, any phase)		2		MHz _{p-p}	3	☐	☐
Modulation Bandwidth		1		MHz	4	☐	☐
Tuning Port Capacitance		22		pF	2	☐	☐
Harmonics		-15	-10	dBc	3	☐	☐
Vcc		6.0		V			
Icc		28		mA	1	☐	☐
Operating Temperature	-40		+85	C	3	☐	☐
Package		SMUA			6	☐	☐
LxW		0.500		inch sq.	5	☐	☐
Height		0.220		inch	5	☐	☐

Notes

1. Tested in production, and guaranteed
2. Per current design, not a tested parameter
3. Sample tested from production lot
4. Not a tested or guaranteed design goal
5. By inspection
6. RoHS Compliant
7. Design goal subject to change




CONTACT ASSIGNMENTS	
1.	RF OUT
2.	VCC
3.	V-TUNE
ALL OTHER CONTACTS ARE GROUND	




DRAWN	NAME	DATE
	Stefan Babulal	2/20/2017
COMMENTS: All dimensions are in inches. Tolerances ± 0.005 unless otherwise noted		

TITLE:		
SMUA PACKAGE		
SIZE	DWG. NO.	REV
A	1	
SCALE: 6:1	unit: inch	SHEET 1 OF 2



CONTACT DIMENSIONS



Scale: 16:1



DRAWN NAME
Stefan Babulal

DATE
2/20/2017


COMMENTS:
All dimensions are in inches.
Tolerances ± 0.005 unless otherwise noted

TITLE:


SMUA PACKAGE

SIZE A	DWG. NO. 1	REV
------------------	---------------	-----


SCALE: 6:1	unit: inch	SHEET 2 OF 2
------------	------------	--------------




TOP VIEW



BOTTOM VIEW



SIDE VIEW



ISOMETRIC VIEW