



SECTION A-A

ELECTRICAL SPECIFICATIONS	
FREQUENCY RANGE	DC - 28 GHz
IMPEDANCE	50 ± 2 OHMS

NOTES:

- LEAK RATE 1×10^{-8} CC/SEC MAX AT 1 ATM USING 100% He.

DESCRIPTION	MATERIAL	FINISH
SHELL	KOVAR ALLOY 4J29 OR EQUIVALENT	GOLD PLATE PER ASTM B488
PIN	KOVAR ALLOY 4J29 OR EQUIVALENT	GOLD PLATE PER ASTM B488
GLASS	CORNING 7070 OR EQUIV.	N/A

Table 1

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DELTA ELECTRONICS MFG CORP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DELTA ELECTRONICS MFG CORP. IS PROHIBITED.
 FILE NAME: 41-93T

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		DRAWN	ADK 8/25/2023
TOLERANCES:		CHECKED	BJM 8/25/2023
FRACTIONAL ± 1/64		ENG APPR.	BJM 8/25/2023
ANGULAR: MACH ± 1° BEND ± 1°		COMMENTS:	
TWO PLACE DECIMAL ±.01		THIRD ANGLE PROJECTION	
THREE PLACE DECIMAL ±.005		MATERIAL SEE TABLE	
SURFACE FINISH = 63		FINISH SEE TABLE	
MAX. CORNER BREAKS = .004		SCALE: 30:1	

DELTA ELECTRONICS MFG CORP. BEVERLY, MA 01915 www.deltarf.com / Ph: 978-927-1060 / Fax: 978-922-6430		
TITLE: GLASS SEAL		
SIZE	DWG. NO.	REV
B	41-10093-1	-
CODE ID - 00795	WEIGHT: 0.04 g	SHEET 1 OF 1