

SPECIFICATIONS

ELECTRICAL:

FREQUENCY RANGE _____ DC-18 GHz

IMPEDANCE _____ 50 OHMS

VSWR

DC-4 GHz _____ 1.15:1 MAX.

4-12.4 GHz _____ 1.25:1 MAX.

12.4-18 GHz _____ 1.35:1 MAX.

ATTENUATION ACCURACY _____ ±0.50

POWER (AVG) _____ 2 WATTS
POWER DERATES LINEARLY FROM +25°C TO <10% @ +125°C

OPERATING TEMP _____ 4°K TO +125°C

MECHANICAL

HOUSING _____ PASSIVATED STAINLESS STEEL

CONNECTORS _____ PASSIVATED STAINLESS STEEL




CONTACTS _____ GOLD PLATED BERYLLIUM COPPER

CONNECTOR INTERFACES, FINISHES AND MATERIALS COMPLY WITH BOTH MIL-PRF-39012 AND MIL-STD-348.

RECOMMENDED MATING TORQUE _____ 7 - 10 INCH POUNDS

MARKING

PART LOOKS LIKE PRODUCT IMAGE ABOVE.
PART MARKING ORIENTATION AND FORMAT AS SHOWN.
MARKING TO BE AS LARGE AS POSSIBLE, CLEAR, AND READABLE.
YYWW EQUALS DATE CODE



REVISIONS

REV	DESCRIPTION	ECO #	DATE	APPROVED
A	ADDED MARKING	15-140	5/18/15	T.KUHN
B	CHANGED ASSY # IN BOM	17-063	5/2/17	T.KUHN
C	CHANGED TA# IN BOM	20-126	8/13/20	HIGGINS
D	REMOVED PEAK POWER	23-145	11/29/23	DEL

QTY.	PART NUMBER	DESCRIPTION	ITEM NO.
X	2082-5026-00-CRYO	ATTENUATOR, SMA-m/f, DC-18GHz, 0dB	
1	TA-2082-6400-dBXU-CRYO	ASSY, ATTENUATOR, SMA-m/f, DC-18GHz, 0dB, UNMARKED	1

DRAWING PRACTICES PER ANSI-Y-14.5 MIL-STD-100 & 1000
DIMENSIONS ARE IN INCHES AND APPLY BEFORE / AFTER PROCESSING
SURFACE ROUGHNESS μINCHES
FINISH:
SEE NOTE
MATERIAL:
SEE NOTE
NOTE: THIS DRAWING INCORPORATES THIRD ANGLE PROJECTION.
INTERPRET IAW ANSI Y14.5-1982

UNLESS OTHERWISE SPECIFIED TOLERANCES IN:
DECIMALS INCH [MM]
.X" .05" [1.27]
.XX" .03" [.76]
.XXX" .010" [.25]
ANGLES ±0°30'
REMOVE ALL BURRS/SHARP W/ BREAK / R OF .003" TO .0005"
UNLESS OTHERWISE NOTED DIAS CONCENTRIC <.003 T.I.R.
DO NOT SCALE PRINT

DRAWN T.KUHN	DATE 6/26/13
CHECKED MCCORMICK	DATE 5/18/15
ENG. APPR. T.KUHN	DATE 6/26/13
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF XMA CORP. OR OMNI SPECTRA AND SHALL NOT BE REPRODUCED, COPIED NOR USED - IN WHOLE OR IN PART - AS A BASIS FOR THE MANUFACTURE OR SALE OF OTHER ITEMS WITHOUT THE EXPRESS WRITTEN PERMISSION OF XMA CORP.	



Phone: 603-222-2256 Fax: 603-222-2259
7 Perimeter Road, Manchester, NH 03103

ATTENUATOR, SMA-m/f, DC-18GHz, 0dB, CRYO

SIZE	CAGE CODE	DRAWING NUMBER	REV
B	3HT76	2082-5026-00-CRYO	D
SCALE	PLATED AREA SQ. IN	SHEET 1 OF 1	